

EPSON

COLOR SCANNER

PERFECTION 3200 PHOTO/PRO

Premium Performance. Professional Results.

The high-value EPSON Perfection 3200 PHOTO provides premium quality scans for multiple applications. For even greater flexibility, the EPSON Perfection 3200 PRO includes professional quality software for a complete digital imaging solution. Both models offer remarkable resolution, plus high-speed connectivity options.

Key Features

- **Superior 3200 x 6400 dpi resolution**
Offers spectacular image quality for sharp, vivid results
- **Powerful high-speed scanning**
Speeds through slides, photos, film strips, text, graphics and more
- **4" x 9" transparency unit adapter**
Scans 35mm slides, negatives and film strips, medium-format, and 4" x 5" transparencies
- **48-bit scanning**
Delivers brilliant, true-to-life colors
- **Hi-Speed USB 2.0 and IEEE 1394 (FireWire®) connectivity**



Scanner Technology

■ Advanced Imaging Technology

The EPSON Perfection 3200 PHOTO and 3200 PRO create sharp, high-quality scans at lightning-fast speeds, scanning everything from negatives, photos, and film to transparencies, graphics and text. If you're looking for a high-performance product to help you expand your creative scanning capabilities, these high-value products offer the ideal solution, with advanced imaging technology and intuitive operation. Their built-in 4" x 9" transparency unit adapters provide the versatility to tackle any task. Best of all, these innovative scanners come from a company known for its award-winning technology, so you can be confident you'll capture every dazzling detail.

■ Software

EPSON Perfection 3200 PHOTO

- LaserSoft® SilverFast® SE 6^A
- Adobe® Photoshop® Elements 2.0
- EPSON Smart Panel^B
- EPSON Scan Scanning Software

EPSON Perfection 3200 PRO

- LaserSoft SilverFast Ai 6^C
- Adobe Photoshop Elements 2.0
- MonacoEZcolor™ 2.5
- ArcSoft® PhotoStudio®
- ArcSoft PhotoBase™
- ArcSoft Panorama Maker™
- EPSON Smart Panel^B
- EPSON Scan Scanning Software



■ Minimum System Requirements

Windows® and Macintosh® Requirements

EPSON Perfection 3200 PHOTO

- 100MB of available hard disk space (350MB recommended)

EPSON Perfection 3200 PRO

- 300MB of available hard disk space (800MB recommended)

EPSON Perfection 3200 PHOTO/3200 PRO

- CD-ROM drive (4x or faster)
- Available USB 2.0 or IEEE 1394 (FireWire) connection and device drivers
- USB 1.1/2.0 compatible operating system and applications (USB 2.0 recommended for optimum performance)
- 128MB RAM (256MB recommended)

Additional Windows Requirements

- IBM® compatible PC with Pentium® equivalent or higher processor
- USB
 - Windows 98 Second Edition (factory installed) or
 - Windows 2000 Professional (factory installed or upgraded from Windows 98 factory installed) or
 - Windows Me (factory installed) or
 - Windows XP Home Edition/XP Professional (factory installed or upgraded from factory installed Windows 98/2000/Me) operating system
- IEEE 1394 (FireWire)
 - Windows 2000 Professional (factory installed) or
 - Windows Me (factory installed or upgraded from Windows 98) or
 - Windows XP Home Edition/XP Professional (factory installed or upgraded from factory installed Windows 98/2000/Me) operating system

Additional Macintosh Requirements

- iMac™, or any G3 or G4 with built-in USB
- USB
 - Mac OS 8.6 to 9.x, OS X 10.1.3 or later
- IEEE 1394 (FireWire)
 - EPSON Perfection 3200 PHOTO: Mac OS 8.6 to 9.x (FireWire updater 2.1 or later required), OS X 10.1.3 or later
 - EPSON Perfection 3200 PRO: Mac OS 8.6 to 9.x (FireWire updater 2.1 or later required), OS X 10.1.4 or later

EPSON

COLOR SCANNER

PERFECTION 3200 PHOTO/PRO

Specifications

Scanner Type

Flatbed color image scanner

Photoelectric Device

Color MatrixCCD™ line sensor

Maximum Scan Area

8.5" x 11.7" (216 mm x 297 mm)

CCD Resolution

3200 dpi

Hardware Resolution

3200 x 6400 dpi maximum with Micro Step Drive™ technology

Maximum Resolution

12,800 x 12,800 dpi with software interpolation

Color Depth

48-bit internal/48-bit external^P

Grayscale Depth

16-bit internal/16-bit external

Optical Density

3.4 Dmax

Scaling (zoom)

50% to 200% (1% step)

Interface

USB 1.1/2.0, IEEE 1394 (FireWire)

Light Source

White cold cathode fluorescent lamp

Scanning Speed (3200 dpi, draft mode)

256 gray level 14.3 msec/line (approx.)

Full color 14.3 msec/line (approx.)

Warranty

One-year limited warranty in the U.S. and Canada

A. LaserSoft SilverFast SE 6 requires Mac OS 9.1 to 9.2.x, OS X 10.1.3 or later

B. EPSON Smart Panel supports Mac OS X Classic Mode only

C. LaserSoft SilverFast Ai 6 requires Mac OS 9.1 to 9.2.x, OS X 10.1.4 or later

D. External bit depth is selectable to 48-bits depending on the image editing software

**EPSON**

www.epson.com

Epson America, Inc.
3840 Kilroy Airport Way
Long Beach, CA 90806

Epson Canada, Ltd.
3771 Victoria Park Avenue
Toronto, Ontario M1W 3Z5

Epson Latin America, Inc.
6303 Blue Lagoon Drive, Suite 195
Miami, FL 33126

Specifications and terms are subject to change without notice. EPSON is a registered trademark and MatrixCCD and EPSON Smart Panel are trademarks of Seiko Epson Corporation. EPSON Perfection is a registered trademark and Micro Step Drive is a trademark of Epson America, Inc. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks.

© Copyright 2003 Epson America, Inc. CPD-14897 2/03 50K PDF

